

# NRNT2.E105728 - Switches, Industrial Control - Component

Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <https://www.ul.com/about/locations>.

## Switches, Industrial Control - Component

### RELPOL S A

E105728

UL 11 LISTOPADA 37  
ZARY, 68-200 Poland

Marking: Company name or trademark , and model designation.

Note: For additional marking information, refer to the [Guide Information Page](#).

**Industrial control switches**, Model(s): [PI6-1P-115VAC](#), [PI6-1P-115VAC/DC](#), [PI6-1P-115VDC](#), [PI6-1P-12VAC](#), [PI6-1P-12VAC/DC](#), [PI6-1P-12VDC](#), [PI6-1P-230VAC](#), [PI6-1P-230VAC/DC](#), [PI6-1P-230VDC](#), [PI6-1P-24VAC](#), [PI6-1P-24VAC/DC](#), [PI6-1P-24VDC](#), [PI6-1P-36VAC](#), [PI6-1P-36VAC/DC](#), [PI6-1P-36VDC](#), [PI6-1P-42VAC](#), [PI6-1P-42VAC/DC](#), [PI6-1P-42VDC](#)

**Industrial Control Switches**, Model(s): [RSR25-24D5-12S](#), [RSR25-24D5-24](#), [RSR25-24D5-24S](#), [RSR25-24D5R-24S](#), [RSR25-48D5-12S](#), [RSR25-48D5-24](#), [RSR25-48D5-24S](#), [RSR25-48D5R-24S](#), [RSR32-24D2-12M](#), [RSR32-24D2-24M](#), [RSR32-24D2-48M](#), [RSR32-24D2-5M](#), [RSR32-24D2-60M](#), [RSR32-24D2R-12M](#), [RSR32-24D2R-24M](#), [RSR32-24D2R-48M](#), [RSR32-24D2R-5M](#), [RSR32-24D2R-60M](#), [RSR35-24D4-12M](#), [RSR35-24D4-24M](#), [RSR35-24D4-48M](#), [RSR35-24D4-5M](#), [RSR35-24D4-60M](#), [RSR35-48D01-12M](#), [RSR35-48D01-24M](#), [RSR35-48D01-48M](#), [RSR35-48D01-5M](#), [RSR35-48D01-60M](#), [RSR35-48D3-12M](#), [RSR35-48D3-24M](#), [RSR35-48D3-48M](#), [RSR35-48D3-5M](#), [RSR35-48D3-60M](#), [RSR45-38D10](#), [RSR45-38D10-A](#), [RSR45-38D10-R](#), [RSR45-38D10-RA](#), [RSR45-38D16](#), [RSR45-38D16-A](#), [RSR45-38D16-R](#), [RSR45-38D16-RA](#), [RSR45-38D25](#), [RSR45-38D25-A](#), [RSR45-38D25-R](#), [RSR45-38D25-RA](#), [RSR62-48A25](#), [RSR62-48A40](#), [RSR62-48A60](#), [RSR62-48A80](#), [RSR62-48D25](#), [RSR62-48D25R](#), [RSR62-48D40](#), [RSR62-48D40R](#), [RSR62-48D60](#), [RSR62-48D60R](#), [RSR62-48D80](#), [RSR62-48D80R](#), [RSR62-60A25](#), [RSR62-60A40](#), [RSR62-60A60](#), [RSR62-60A80](#), [RSR62-60D25](#), [RSR62-60D25-R](#), [RSR62-60D40](#), [RSR62-60D40-R](#), [RSR62-60D60](#), [RSR62-60D60-R](#), [RSR62-60D80](#), [RSR62-60D80-R](#), [RSR85-24D3-12](#), [RSR85-24D3-24](#), [RSR85-24D3-5](#), [RSR85-24D3R-12](#), [RSR85-24D3R-24](#), [RSR85-24D3R-5](#), [RSR85-38D3-12](#), [RSR85-38D3-24](#), [RSR85-38D3-5](#)

**Industrial Control Switches**, Model(s): [R15](#) followed by 05, 10, 11, 12, 13 or 14, followed by 12, 13 or 14, followed by 2, followed by 3, followed by 1, 3 or 5, followed by 006 thru 240 incl., may be followed by W, may be followed by L, may be followed by N, may be followed by K, may be followed by D, may be followed by S, may be followed by T

**Industrial Control Switches**, Model(s): [R2](#) followed by 10, 11, 20, 21 or 23, followed by 12, followed by 2, followed by 3, 5, 7 or 9, followed by 1, 3, 5 or P, followed by 006 thru 240, followed by D, K, L, P, T or W, may be followed by any combination of letters D, K, L, P, T or W for use with relay sockets Model G4/2

**Industrial Control Switches**, Model(s): [R2M](#) followed by 20 or 21, followed by 12, followed by 2, followed by 3 or 5, followed by 1 or 5, followed by 006 to 240, may be followed by L or D

**Industrial Control Switches**, Model(s): [R4](#) followed by 10, 20, 21, 22, 23 or 30 followed by 12 or 14, followed by 2, followed by 3, 5 or 9, followed by 1, 3, 5 or P, followed by 005-240, may be followed by D, K, L, P, T or W, may be followed by any combination of letters D, K, L, T or W

**Industrial Control Switches**, Model(s): [RM83](#) followed by 10, 11 or 30, followed by 11, 12, 21 or 31, followed by 2 or 3, followed by 5, followed by 1, followed by 005, 006, 009, 012, 018, -24, -36, -48, -60 or 110

**Industrial Control Switches**, Model(s): [RM84](#) followed by [20](#), [23](#) or [30](#) followed by 12 or 22 , followed by 2 or 3, followed by 5 or M , followed by 1 or 5 , followed by 003 to 110 or 012 -240, may be followed by1

**Industrial Control Switches**, Model(s): [RM85](#) followed by 10, 20, 23 or 30, followed by 11 or 21 or 51, followed by 2 or 3, followed by 5 or M , followed by 1 or 5 , followed by 003 to 110 or 012 -240, may be followed by1

**Industrial Control Switches**, Model(s): [RM85 \(inrush version\)](#) followed by 50, followed by 21, followed by 2, followed by 5, followed by 1, followed by 003-110

**Industrial Control Switches**, Model(s): [RM85 \(sensitive version\)](#) followed by 20, 23, 30 or 30, followed by 21, followed by 2, followed by 5 or M, followed by S, followed by 005-048

**Industrial Control Switches**, Model(s): [RM85 faston](#) followed by V or H, followed by 7, followed by 30, followed by 21 followed by 2 followed by 0, followed by S, followed by 005-048

**Industrial Control Switches**, Model(s): [RM87](#) followed by N, P or L, followed by 20 or 23 or 30 , followed by 11 or 21, followed by 2 or 3, followed by 5 or M followed by 1 or 5, followed by 003-110 or 012 -240, may be followed by1

**Industrial Control Switches**, Model(s): [RM87N \(sensitive version\)](#) followed by 20, 23 or 30 followed by 11 or 21 followed by 2 or 3 followed by 5 followed by S followed by 005-048

**Industrial Control Switches**, Model(s): [RM96](#) followed by P, Z or R, followed by 5 through 48, followed by W

**Industrial Control Switches**, Model(s): [RUC](#) followed by 10, 11, 20, 21 or 30 , followed by 51, 52 or 53, followed by 2, 4, H, or V followed by 5, 6, or A followed by W, 1, 3 or 5, followed by 006 through 240 may be followed by K, L, KL, or D

**Industrial Control Switches**, Model(s): [RUC-M](#) followed by 10, 20 or 30, followed by 51 or 52 , followed by 2, 4, H, or V followed by 6, followed by W or 5, followed by 012 through 240 may be followed by L

**Industrial Control Switches**, Model(s): [Series R15...WT, R15](#) followed by 20, 21, 23 or 24, followed by 12 or 13, followed by 2, followed by 3, followed by 1, 3, 5 or P, followed by 006 thru 240, may be followed by W, may be followed by T, may be followed by any combination of D, L, N, P or V

**Industrial Control Switches**, Model(s): [Series R3](#) followed by 20, 21 or 23, followed by 13, followed by 2 followed by 3 followed by 1, 3, 5 or P, followed by 006 to 240 may be followed by any combination of letters D, L, P, T or W

**Industrial Control Switches**, Model(s): [Series RUC](#) followed by 10, 11, 20 or 21, followed by 12, 13, 22 or 23, followed by 2, 4, H or V, followed by 5, 6, or A, followed by 1, 3 or 5, followed by 006 thru 240, may be followed by K, L, KL, or D

**Industrial Control Switches**, Model(s): [Series RY2](#) followed by 10 or 20, followed by 12, followed by 2 or 4, followed by 5 or 6 , followed by 1, 3 or 5, followed by 005 (5 VDC) through 220 (220 VDC) or 006 (6 VAC) through 240 (240 VAC), may be followed by any combination of letters W, K, L, or D

**Industrial Control Switches , Relay**, Model(s): [Series R2N, R3N, R4N](#) followed by 20, 21, 23, followed by 12, 13 or 14, followed by 2 or 3, followed by 3, followed by 1 or 5, followed by 006, 012, 024, 048, 060, 100, 110, 115, 120, 125, 200, 220, 230 or 240 may be followed by any combination of letters W, T, L, D or V.

**Industrial Control Switches, Solid State Relays**, Model(s): [RSR75-24D15-H](#), [RSR75-24D25-H](#), [RSR75-24D50-H](#), [RSR75-24D75-H](#), [RSR75-60D15-H](#), [RSR75-60D25-H](#), [RSR75-60D50-H](#), [RSR75-60D75-H](#)

**Open type, Industrial, Solid state switches**, Model(s): [RSR72-24D10-H](#), [RSR72-24D20-H](#), [RSR72-24D20-RH](#), [RSR72-24D30-H](#), [RSR72-24D30-RH](#), [RSR72-24D40-H](#), [RSR72-24D40-RH](#), [RSR72-24D50-H](#), [RSR72-24D50-RH](#), [RSR72-24D75-H](#), [RSR72-24D75-RH](#), [RSR72-28A10-H](#), [RSR72-28A20-H](#), [RSR72-28A30-H](#), [RSR72-28A40-H](#), [RSR72-28A50-H](#), [RSR72-28A75-H](#), [RSR72-48A10-H](#), [RSR72-48A20-H](#), [RSR72-48A30-H](#), [RSR72-48A40-H](#), [RSR72-48A50-H](#), [RSR72-48A75-H](#), [RSR72-48D10-H](#), [RSR72-48D10-RH](#), [RSR72-48D20-H](#), [RSR72-48D20-RH](#), [RSR72-48D30-H](#), [RSR72-48D30-RH](#), [RSR72-48D40-H](#), [RSR72-48D40-RH](#), [RSR72-48D50-H](#), [RSR72-48D50-RH](#), [RSR72-48D75-H](#), [RSR72-48D75-RH](#)

**Sockets**, Model(s): [G2M](#), [G4](#), [GZU-11](#), [GZU-8](#), [PS-11](#), [PZ-11](#), [PZ-8](#), [S2M](#), [SU4](#)

**Solid State Relays**, Model(s): [RSR52-240D80](#), [RSR52-24A10](#), [RSR52-24A25](#), [RSR52-24A40](#), [RSR52-24A60](#), [RSR52-24A80](#), [RSR52-24D10](#), [RSR52-24D10-R](#), [RSR52-24D25](#), [RSR52-24D25-R](#), [RSR52-24D40](#), [RSR52-24D40-R](#), [RSR52-24D60](#), [RSR52-24D60-R](#), [RSR52-24D80-R](#), [RSR52-48A10](#), [RSR52-48A25](#), [RSR52-48A40](#), [RSR52-48A60](#), [RSR52-48A80](#), [RSR52-48D10](#), [RSR52-48D10R](#),

[RSR52-48D25](#), [RSR5248D25-R](#), [RSR52-48D40](#), [RSR52-48D40-R](#), [RSR52-48D60](#), [RSR52-48D60-R](#), [RSR52-48D80](#), [RSR52-48D80-R](#), [RSR52-60A25](#), [RSR52-60A40](#), [RSR52-60A60](#), [RSR52-60D25](#), [RSR52-60D25-R](#), [RSR52-60D40](#), [RSR52-60D40-R](#), [RSR52-60D60](#), [RSR52-60D60-R](#), [RSR52-60D80](#), [RSR52-60D80-R](#)

**Time relays**, Model(s): [TR4N-115AC-11-M](#), [TR4N-115AC-12-M](#), [TR4N-115AC-14-M](#), [TR4N-12AC/DC-11-M](#), [TR4N-12AC/DC-12-M](#), [TR4N-12AC/DC-14-M](#), [TR4N-230AC-11-M](#), [TR4N-230AC-12-M](#), [TR4N-230AC-14-M](#), [TR4N-24AC/DC-11-M](#), [TR4N-24AC/DC-12-M](#), [TR4N-24AC/DC-14-M](#)

Last Updated on 2021-11-02

---

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2022 UL LLC"